

ZEUS52E6K 6000VA 5400W Online Tower UPS, IEC

Product Images



Short Description

- Output Power Factor 0.9
- ECO Mode for Energy-Saving
- Generator Compatible
- Provides HID compatible USB connection
- Emergency Power Off (EPO) Port

Description

Introducing the Conceptronic Online Tower UPS—the premier power backup solution for your home or office. Featuring an output power factor of 0.9, this UPS delivers superior efficiency and performance. Its ECO Mode enhances energy savings, while compatibility with generators ensures uninterrupted power during extended outages.

The Conceptronic Online Tower UPS comes with HID USB communication for seamless device connectivity and enhanced control and monitoring. For added safety during emergencies, it includes an Emergency Power Off (EPO) port for swift shutdowns in

critical situations.

With its sleek, modern tower design, the Conceptronic Online Tower UPS integrates effortlessly into any environment, providing reliable power backup when you need it most.

Additional Information

Code des Harmonisierten Systems (HS)	850440
Zolltariflicher Warencode (TARIC)	8504406090
Schutzart	UPS Output Cut off Immediately or Input Fuse / Circuit Breaker Protection
Zulassungen und Konformität	CE, RoHS
Operating humidity	0% RH ~ 90% RH
Operating temperature	0°C ~ 40°C
Wiederaufladezeit	4hr
Dimensions (W x D x H)	196 x 412 x 702 mm
Produktgewicht (kg)	52.1
Farbe	Schwarz
EAN	4015867237854
Modellnummer	ZEUS52E6K
Alarm	Battery Mode, Battery Low, Overload, UPS Fault, Replace Battery, Bypass Mode, Charger Failure /Over Charged, Fan failure, EPO active
Batteriekapazität (mAh)	7000
Batteriekapazität (Wh)	84
Batteriespannung	12V
Buttons	Power On/Off
Eingangsspannung	AC 220-240V, 50/60Hz
Ausgangsspannung	AC 220-240V
Power rating	6000VA
Waveform	Sine wave

