



AZZA Storm 6000-ARGB Full PC Tower User Manual

[Home](#) » [AZZA](#) » AZZA Storm 6000-ARGB Full PC Tower User Manual 

AZZA Storm 6000-ARGB Full PC Tower User Manual



Contents

- [1 Specification](#)
- [2 Chassis Parts](#)
- [3 Control Panel Function](#)
- [4 PSU Installation](#)
- [5 ODD Installation](#)
- [6 ODD Cage Removal](#)
- [7 Cooling System Installation](#)
- [8 3.5 "/ 2.5" HDD Installation](#)
- [9 Addressable RGB Fan Installation](#)
- [10 Documents / Resources](#)
- [11 Related Posts](#)


Specification

Model

Model Name:	Storm 6000 -ARGB
Model Number:	CSAZ-6000ARGB/B
Specifications	
Type:	ATX Full Tower
Color:	Black/Black(interior)
Side Panel Window:	Tempered glass side panel with EVA anti-vibration pad
Max CPU Cooler Height:	UP to 175mm
Max Video Card Length:	Up to 420 mm long video card
Power Supply:	Not included
Motherboard Compatibility:	E-ATX(<272mm), ATX, Micro-ATX
Expansion	
External 5.25" Drive Bays:	1
Internal 2.5" Drive Bays:	Up to 6
Internal 3.5" Drive Bays:	Up to 4

Expansion Slots:	10
Top Ports:	Power button, LED button, HD Audio, USB 2.0 x 2,USB 3.0×2
Physical Specifications	
Physical Dimension (HxWxD)	537.7 x225x 525 mm/21.17×8.86×20.67 inches
Weight:	11.1Kg /24.4lbs
Features	
Addressable RGB Light Effects:	ARGB fans are controlled using the LED button. All addressable RGB devices can sync with the motherboard, allowing the motherboard software to control lighting directly.
Available Fan Ports:	2x120mm or 2x140mm fan ports in the front (2x120mm LFO-4112D addressable ARGB fan included) 3x120mm or 2x140mm fan ports on the top (2x120mm LFO-4112D addressable ARGB fan included) 1x120mm or 1x140mm fan port in the rear (1x120mm LFO-4112D addressable ARGB fan included)
Water Cooling:	Supports radiators up to 280mm in the front Supports radiators up to 360mm in the top
Dust Filters:	Removable (magnetic) dust filter on bottom of chassis.
Power Supply Support:	Bottom mounted ATX Power Supply


Chassis Parts



1	Front bezel
2	Addressable RGB control board
3	5.25" Device cover X1
4	Door
5	Power switch
6	Acrylic cover


7	Top cover
8	USB & Audio port
9	LED lens
10	HDD/SSD tray
11	Dust filter
12	Stand X2
13	Tempered Glass Side Panel
14	PCI slot cover
15	Right side panel
16	Addressable RGB fan x4
17	Addressable RGB fan x1

Control Panel Function




	Power
	USB 3.0 (Blue)
	USB 2.0 (Black)
	Mic
	Audio

PSU Installation




ODD Installation


- Remove 5.25" metal cover.




- Take out drive cover.




- Insert ODD drive.



- Secure ODD drive.





ODD Cage Removal




Cooling System Installation

Front




Top




120mm x3



140mm x2



or




Rear



120mm x1

3.5 "/ 2.5" HDD Installation


- Supports video cards up to 420mm in length
- Supports PSUs up to 250mm in length.
- Four multifunctional brackets support 3.5" HDD or 2.5" SSD. (**A B C D**)




or




- Two brackets support 2.5" Devices.




- Multifunctional Bracket.



- Secure 2.5" SSD/HDD with screws



- Secure 3.5" HDD with screws.



Addressable RGB Fan Installation

 The image shows the front cover of the user manual for the AZZA Storm 6000-ARGB Full PC Tower. At the top left is the AZZA logo, a triangle with the word 'AZZA' below it. Below the logo is the model name 'STORM 6000-ARGB'. In the center is a line drawing of the PC tower, which has a distinctive front panel with a grid of circular cutouts. At the bottom of the cover, the words 'USER MANUAL' are printed.	AZZA Storm 6000-ARGB Full PC Tower [pdf] User Manual Storm 6000-ARGB, Full PC Tower, Storm 6000-ARGB Full PC Tower, PC Tower, Tower
--	---